<u> </u>	題目	答案	影像 R42
1.	A 59 y/o man had septic shock with muti-organ failure admitted to ICU	 Hollow organ perforation(PPU, intestine perforation) RLL consolidation 	
2.	A 76 y/o man undergoing long-term H/D with respiratory distress	1.NG tube inserted into lung parenchyma(NG tube malposition)2.LLL consolidation	
3.	A 68 y/o woman with acute respiratory distress	Acute pulmonary emboli	

112年胸腔暨重症專科醫師考試_影像學

4.	A 72 y/o man with progressive respiratory distress	Cardiogenic pulmonary edema (CHF with interstitial edema)	
5.	87 y/o male was sent to Emergency Department due to drowsiness.	LUL lung cancer with stomach foreign body(denture)	
6.	60 y/o female visited Chest OPD due to dry cough for months	LUL cancer with breast augmentation	

7.	84 y/o male was referred to Chest OPD without any symptom and sign	LUL lung cancer	
8.	33 y/o female_had incidental findings on CXR and then CT follow-up	Sarcoidosis	RT I I I I I I I I I I I I I I I I I I I
9.	67 y/o male had ,hemosputum for days	 1.Endobronchial tumor over proximal left lower bronchus with obstructive pneumonitis over left lower lobe 2. Status post sternotomy with metallic suture (Hx of CAD s/p CABG) 	R-Standing
10.	66 y/o male, a heavy smoker, was referred to ER from a local hospital. Initial presentation: progressive dyspnea for days	 Diffuse emphysema (COPD) Subcutaneous emphysema Post pigtail catheter drainage 	R-SITTING

11.	71 y/o female has hemoptysis for 10 yrs.	 1.NTM-lung disease 2.Bronchiectasis 3.PICC 	Les de la de
12.	57 y/o Female. Dyspnea on exrtion (DOE) for yrs.	Lymphangioleiomyomatosis(LA M)	Code of the sector of the
13.	21 y/o M. Anterior chest pain for 1 day	pneumomediastinum	R - standing

14.	Intermittent chest pain for 3 months	Achalasia	
15.	Dyspnea for 2 weeks	Pulmonary alveolar proteinosis	R
16.	Cough with sputum for 2 months	Pulmonary tuberculosis	
17.	A 62 years-old man presented with cough with sputum for months. Exertional dyspnea(+) Smoking(+)	asbestosis	

18.	A 73 years old male visit clinic with intermittent fever for 2 weeks. He also had poor sugar control due to poor drug compliance.	Liver abscess	
19.	34 years old male visit clinic for abnormal chest imaging after health examination. No clinical symptoms/signs were noted.	Scimitar syndrome	
20.	34 years old male visit clinic for abnormal chest imaging after health examination. No clinical symptoms/signs were noted.	Arteriovenous malformation	R

21.	A 39-year-old man had	Diffuse panbronchiolitis	
21.	cough and dyspnea for 2 months		R
22.	58 year-old woman have cough for 2 months	Thyroid cancer with tracheal compression	R
23.	37 year-old man do health examinations without symptoms	Right aorta	

24.	30-year-old man with left chest pain for one month	Neurogenic tumor	R LHS LHS LHS LHS LHS LHS LHS LHS
25.	A 39 year old female had GERD. She visited Chest OPD for dyspnea and chest tightness for one week	Massive pneumothorax	BUDDHIST TELY CHI
26.	A 60 year old female had cough without sputum and exertional dyspnea for a long time. There was no fever.	Lung cancer with miliary metastasis	ALL INTERNET

27.	A 59 y/o male who had hypertension and adrenal gland tumor s/p resection. He lived at Wanhua. He had fever (39.2 °C), cough, myalgia and diarrhea since 2021/06/05. He visited ER, CXR was performed (fig A). He admitted to ward. Due to progressive dyspnea, CXR was followed later (fig B). What is the diagnosis?	COVID-19	Portable
28.	48 歲女性,本身有支氣管 擴張症,數年前有肺結 核經過完整藥物治療,定 期於胸內門診追蹤。近 期咳嗽加劇,有輕微運動 性呼吸困難(exertional dyspnea),無其他症狀,無 旅遊史。定期追蹤的胸 部X光發現右上肺野纖 維化範圍變大,安排胸腔 電腦斷層檢查(如圖一與 圖二),則最可能的診斷 為何?	肺結核後繼發黴菌感染	

 福。10年前接受過第三 期甲狀腺癌手術根除 術。5年前曾接受胸部 低劑量電腦斷層檢查 (chest LDCT),發現有左 下肺毛玻璃狀結節 (0.8cm) (如圖 1).近期接 受健康檢查時,再行 chest LDCT 發現原來的 左下斷給節有增大(0.8cm →1.2cm),而且於兩側肺 部看見新增加的毛玻璃 結節(大小介於 0.5-1.5cm)(如圖 2-5).進 一步 PET/CT scan 檢查, 上述結節皆理現 slight increase of FDG uptake (FDG-avid: 2.7-3.2)不 等。病史助問述無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表現,最可能的診斷為何? 	29. 一位 59 歲黃小姐之前無 吸菸史,家族史無肺	IgG-4 related lung disease	A
期甲狀腺癌手術根除 術。5 年前曾接受胸部 低劑量電腦斷層檢查 (chest LDCT),發現有左 下肺毛玻璃狀結節 (0.8cm)(如圖 1)。近期接 受健康檢查時,再行 chest LDCT 發現原來的 左下肺結節有增大(0.8cm ~1.2cm),而且於兩側肺 部看見新增加的毛玻璃 結節(大小介於 0.5~1.5cm)(如圖 2-5)。進 一步 PET/CT scan 檢查, 上述結節皆呈現 slight increase of FDG uptake (FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表			
 低劑量電腦斷層檢查 (chest LDCT),發現有左 下肺毛玻璃狀結節 (0.8cm) (如圖 1)。近期接 受健康檢查時,再行 chest LDCT 發現原來的 左下肺結節有增大(0.8cm →1.2cm),而且於兩側肺 部看見新增加的毛玻璃 結節(大小介於 0.5~1.5cm)(如圖 2-5)。進 一步 PET/CT scan 檢查, 上述結節皆呈現 slight increase of FDG uptake (FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表 			
 低劑量電腦斷層檢查 (chest LDCT),發現有左 下肺毛玻璃狀結節 (0.8cm) (如圖 1)。近期接 受健康檢查時,再行 chest LDCT 發現原來的 左下肺結節有增大(0.8cm →1.2cm),而且於兩側肺 部看見新增加的毛玻璃 結節(大小介於 0.5~1.5cm)(如圖 2-5)。進 一步 PET/CT scan 檢查, 上述結節皆呈現 slight increase of FDG uptake (FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表 	術。5年前曾接受胸部		
 下肺毛玻璃狀結節 (0.8cm) (如圖 1)。近期接 受健康檢查時,再行 chest LDCT 發現原來的 左下肺結節有增大(0.8cm →1.2cm),而且於兩側肺 部看見新增加的毛玻璃 結節(大小介於 0.5~1.5cm)(如圖 2-5)。進 一步 PET/CT scan 檢查, 上遮結節皆呈現 slight increase of FDG uptake (FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表 	低劑量電腦斷層檢查		
(0.8cm) (如圖 1)。近期接 受健康檢查時,再行 chest LDCT 發現原來的 左下肺結節有增大(0.8cm \rightarrow 1.2cm),而且於兩側肺 部看見新增加的毛玻璃 結節(大小介於 0.5~1.5cm)(如圖 2-5)。進 -步 PET/CT scan 檢查, 上述結節皆呈現 slight increase of FDG uptake (FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表 し	(chest LDCT),發現有左		P
受健康檢查時,再行 chest LDCT 發現原來的 左下肺結節有增大(0.8cm \rightarrow 1.2cm),而且於兩側肺 部看見新增加的毛玻璃 結節(大小介於 $0.5\sim$ 1.5cm) (如圖 2-5) 。進 -步 PET/CT scan 檢查, 上述結節皆呈現 slight increase of FDG uptake (FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表	下肺毛玻璃狀結節		Δ
 chest LDCT 發現原來的 左下肺結節有增大(0.8cm →1.2cm),而且於兩側肺 部看見新增加的毛玻璃 結節(大小介於 0.5~1.5cm)(如圖 2-5)。進 一步 PET/CT scan 檢查, 上述結節皆呈現 slight increase of FDG uptake (FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表 	(0.8cm)(如圖 1)。近期接		A CONTRACTOR OF
左下肺結節有增大(0.8cm →1.2cm),而且於兩側肺 部看見新增加的毛玻璃 結節(大小介於 0.5~1.5cm) (如圖 2-5) 。進 一步 PET/CT scan 檢查, 上述結節皆呈現 slight increase of FDG uptake (FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表	受健康檢查時,再行		
→1.2cm),而且於兩側肺 部看見新增加的毛玻璃 結節(大小介於 0.5~1.5cm)(如圖 2-5)。進 一步 PET/CT scan 檢查, 上述結節皆呈現 slight increase of FDG uptake (FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表	chest LDCT 發現原來的		
 部看見新增加的毛玻璃 結節(大小介於 0.5~1.5cm)(如圖 2-5)。進 一步 PET/CT scan 檢查, 上述結節皆呈現 slight increase of FDG uptake (FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表 	左下肺結節有增大(0.8cm		
 結節(大小介於 0.5~1.5cm)(如圖 2-5)。進 一步 PET/CT scan 檢查, 上述結節皆呈現 slight increase of FDG uptake (FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表 	→1.2cm),而且於兩側肺		
 0.5~1.5cm)(如圖 2-5)。進 一步 PET/CT scan 檢查, 上述結節皆呈現 slight increase of FDG uptake (FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表 	部看見新增加的毛玻璃		2
 一步 PET/CT scan 檢查, 上述結節皆呈現 slight increase of FDG uptake (FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表 	結節(大小介於		۵
上述結節皆呈現 slight increase of FDG uptake (FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表	0.5~1.5cm) (如圖 2-5) 。進		2
increase of FDG uptake (FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表	一步 PET/CT scan 檢查,		
(FDG-avid: 2.7~3.2)不 等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表	上述結節皆呈現 slight		
等。病史詢問並無呼吸 道症狀例如咳嗽或是呼 吸喘的情形。請問根據 Chest CT scan 及臨床表	increase of FDG uptake		
道症狀例如咳嗽或是呼吸喘的情形。請問根據 Chest CT scan 及臨床表			
吸喘的情形。請問根據 Chest CT scan 及臨床表			3
Chest CT scan 及臨床表			Δ
現,最可能的診斷為何?			
	現,最可能的診斷為何?		
			3
			<u>^</u>
			2

30.	During a routine health check, a 27-year-old patient was found to have a mass on their chest X- ray.	Bronchogenic cyst or esophageal cyst	
31.	Five years ago, this 65- year-old male started experiencing acid regurgitation and heartburn. Recently, he has developed a persistent dry cough and dyspnea.	Hiatal hernia	R74
32.	A 65-year-old female had her CXR on her health examination. There was no any clinical symptoms	 Anterior mediastinum tumor RUL nodule 	

-	33. A 60-year-old female with	1. Right thyroid goiter with	
	incidental finding.	tracheal indentation	0
		2. Left thyroid calcifications	